

Printers

○:Supported △:May be supported depending on the controller software version used in a multifunction device ×:Not Supported

Model Name	Device Management								Authentication Management					Log Management			Print Management							Flow Management				Simple Flow feature (Scan & Connect)			Cost Management ³¹		
	Monitor Status ¹	User Information/Account Limit	Folder	Address Book	Device Menu		Remote Power Off	Custom Authentication ²⁵	Login/Account Limit	Secondary Server	Multiple User IDs	User Registration	Fuji Xerox Direct Federation	Collect Job Log	Usage Status Display Service	Electricity/Paper Usage	Output	Guest Print	Web/E-Mail Print	Follow Me Print	Print On Demand via Smart Card Reader		Print On Demand via IC Card Gate		Print Rule	Folder	Web Applications Linkage	Print ¹¹⁶	Fax ¹¹⁶	Account Reports	Force stop when minimum balance is reached	Supported models as a Cost Management System	
					External Access ²⁵	ApeosWare Menu ²⁵															Device connection	Network connection											
Color Laser Printers																																	
ApeosPrint C5570	○	○	×	×	×	×	×	○	○ ²⁸	○ ²⁸	×	×	○	×	×	○	×	○	○	○ ²⁷	×	×	○	×	×	○	×	×	○ ²⁴	○	○		
DocuPrint C3555	○	○	×	×	×	×	○	×	○	○	○	×	×	○	×	○	○	×	○	○ ²⁷	×	×	○	×	×	○	×	×	○ ²⁴	×	○		
DocuPrint C2555	○	○	×	×	×	×	○	×	○	○	○	×	×	○	×	○	○	×	○	○ ²⁷	×	×	○	×	×	○	×	×	○ ²⁴	○	○		
DocuPrint CP475 AP	○	○	×	×	×	×	○	×	○	○ ²⁸	○ ²⁸	×	×	○	×	○	○	×	○	○ ²⁷	×	×	○	×	×	○	×	×	○ ²⁴	○	○		
DocuPrint CM415 AP	○	○	○	○	○	○	○	○	○	○	○	○	×	○	○	○	○	×	○	○ ²⁷	○	×	○	○	○	○	○	○	○	○	○		
DocuPrint CM505 da	○	○	○	○	×	×	×	×	○	○	○	×	×	○	×	×	○	×	○	×	×	×	○	○	×	○	○	×	○ ²⁴	×	×		
DocuPrint C5155 d	○	○	×	×	×	×	×	○	○	○	×	×	○	×	×	○	×	○	×	○ ²⁷	○	×	○	×	×	○	×	×	○ ²⁴	×	○ ³¹		
DocuPrint C5005 d	○	○	×	×	×	×	×	○	○	○	×	×	○	×	○	○	×	○	×	○ ²⁷	○	×	○	×	×	○	×	×	○ ²⁴	×	○ ³²		
DocuPrint C2255	○	×	×	×	×	×	×	△ ²⁹	△ ²⁹	×	×	×	○	×	×	○	×	×	×	○ ²⁷	○	×	○	×	×	○	×	×	○ ²⁴	×	×		
DocuPrint CM405 df	○	×	×	×	×	×	×	×	×	×	×	×	○	×	×	○	×	×	×	×	×	○	○	×	×	×	×	×	×	×	×		
DocuPrint CP405 d	○	×	×	×	×	×	×	×	×	×	×	×	○	×	×	○	×	×	×	×	×	×	○	○	×	×	×	×	×	×	×		
DocuPrint CM305 df	○	×	×	×	×	×	×	×	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		
DocuPrint CP305 d	○	×	×	×	×	×	×	×	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		
DocuPrint CP205	○	×	×	×	×	×	×	×	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		
DocuPrint CP205 w	○	×	×	×	×	×	×	×	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		
DocuPrint C3290 FS	○	×	×	×	×	×	×	×	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		
DocuPrint CM115/118 w	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		
DocuPrint CM225/228 fw	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		
DocuPrint CP115/118 w	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		
DocuPrint CP116/119 w	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		
DocuPrint CP225/228 w	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		
DocuPrint CM315/318 z	○	×	×	×	×	×	×	×	×	×	×	×	○ ²⁸	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		
DocuPrint CP315/318 dw	○	×	×	×	×	×	×	×	×	×	×	×	○ ²⁹	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		
Black & White Laser Printers																																	
DocuPrint P475 AP	○	○	×	×	×	×	○	×	○	○ ²⁸	○ ²⁸	×	×	○	×	○	○	×	○	○	○ ²⁷	×	×	○	×	×	○	×	×	○ ²⁴	○	○	
DocuPrint 4405 d/3505 d/3205 d/4408 d/3508 d/3208 d	○	○	×	×	×	×	○	×	○	○	○	×	×	○	×	○	○	×	○	×	○ ²⁷	×	×	○	×	×	○	×	×	○ ²⁴	×	○	
DocuPrint 5105 d	○	○	×	×	×	×	○	×	○	○	○	×	×	○	×	○	○	×	○	×	○ ²⁷	○	×	○	×	×	○	×	×	○ ²⁴	×	○	
DocuPrint M465 AP	○	○	○	○	○	○	○	○	○	○	○	×	○	○	○	○	○	○	○	○ ²⁷	○	×	○	○	○	○	○	○	○	○	○		
DocuPrint 3105	○	○	×	×	×	×	×	×	○	○	○	×	×	○	×	×	○	×	○	×	○ ²⁷	○	×	○	×	×	○	×	×	○ ²⁴	○ ³²	○ ³²	
DocuPrint 305/255/205	○	×	×	×	×	×	×	×	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		
DocuPrint 340A/240A	○	×	×	×	×	×	×	×	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		
DocuPrint M455 df	○	×	×	×	×	×	×	×	×	×	×	×	○	×	×	○	×	×	×	×	×	○	○	×	×	×	×	×	×	×	×		
DocuPrint P455 d	○	×	×	×	×	×	×	×	×	×	×	×	○	×	×	○	×	×	×	×	×	×	○	○	×	×	×	×	×	×	×		
DocuPrint M355 df	○	×	×	×	×	×	×	×	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		
DocuPrint P355 d	○	×	×	×	×	×	×	×	×	×	×	×	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		
4127/4112 Enterprise Printing System	○	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×	×		
D136 Printer	○	○	○	○	○	○	×	×	○	○	○	○	×	○	○	○	○	○	○	○ ²⁷	○	×	○	○	○	○	○	×	○	○ ²⁴	×	×	
D125/D110/D95 Printer	○	○	○	○	○	○	×	×	○	○	○	○	×	○	○	○	○	○	○	○ ²⁷	○	×	○	○	○	○	○	×	○	○ ²⁴	×	×	

【Note】

Note: Products for sale may differ according to country or region. For more information, please contact the Fuji Xerox office or authorized dealers in each country/region.

- *1 Status monitoring can be performed for devices that conform to RFC1759.
- *2 Unable to use Internet Fax(SIP).
- *3 Controller ROM 2.100.3 and above is ○
- *4 Controller ROM 1.121.14 and above or 1.122.18 and above is ○
- *5 Controller ROM 1.104.1 and above is ○
- *6 Controller ROM 1.180.4 and above is ○
- *7 Controller ROM 1.180.2 and above is ○
- *8 Controller ROM 1.103.x and above is ○
- *9 Controller ROM 1.100.1 and above is ○
- *10 Printer-related features cannot be used.
- *11 1.1.0.1 or later is required to use ApeosWare Print Management.
- *12 Controller ROM 1.101.20 and above is ○
- *13 Controller ROM 3.120.13 and above is ○
- *14 Controller ROM 1.120.40 and above is ○
- *15 Controller ROM 1.103.13 and above is ○
- *16 Only PCL driver is supported (Mini driver is not supported.)
- *17 Controller ROM 1.3.04 and above is ○
- *18 Controller ROM 1.101.12 and above is ○
- *19 Controller ROM 1.0.25 and above is ○
- *20 Controller ROM 2.0.0 and above is ○
- *21 Print via print-server cannot be used.
- *22 OCR feature cannot be used.
- *23 You will need Network Scanner Utility 2 to retrieve document.
- *24 You cannot select account. Cost is reduced from the default account.
- *25 An Option may be required according to type or model.
- *26 Available only in Direct Print mode via ApeosWare Management Suite 2 and print feature using On Demand Print Terminal.
For a print job that has reached the minimum balance when printing, the print job is canceled in the case of Direct Print mode, and printing cannot be started on the On Demand Print Terminal.
However, "On Demand Print Terminal" option must be available to use it. "On Demand Print Terminal" is an option for the Japanese domestic market.
- *27 Controller ROM Ver.201802150951 and above is ○
- *28 Controller ROM Ver.201802270653 and above is ○
- *29 Controller ROM Ver.201802270642 and above is ○
- *30 HDD required.
- *31 Controller ROM 1.182.19 and above is ○
- *32 Controller ROM 1.102.19 and above is ○
- *33 Controller ROM 1.101.19 and above is ○
- *34 Controller ROM 1.3.4 and above is ○
- *35 Controller ROM 1.3.5 and above is ○
- *36 Controller ROM 1.1.4 and above is ○
- *37 Only operates when supported Smart Card Reader is connected to device.
- *38 Remote Authentication Kit required.

For this software, CentreWare Internet Services and device configuration reports, the following models will be recorded as "Fuji Xerox 4112" or "Fuji Xerox 4127".

4112
4112 Light Publisher
4127 Light Publisher

For this software, CentreWare Internet Services and device configuration reports, the following models will be recorded as "Fuji Xerox D95", "Fuji Xerox D110", "Fuji Xerox D125" or "Fuji Xerox D136".

D95
D110
D110 Light Publisher
D125 Light Publisher
D136

For this software, CentreWare Internet Services and device configuration reports, the following models will be recorded as "Fuji Xerox B9100", "Fuji Xerox B9110", "Fuji Xerox B9125", or "Fuji Xerox B9136".

B9100
B9100 Light Publisher
B9110
B9110 Light Publisher
B9125
B9125 Light Publisher
B9136
B9136 Light Publisher

Click the [Machine Status] button, select [General Information] on the [Machine Information] screen and check [Software Version].

You can also check the version on the printed device configuration reports.

For devices with "Large Color Control Panel", the Controller ROM version displayed with the above methods will be displayed as follows.

- Display on Device: 1.120.xx -> 1.100
- Display on Device: 1.121.xx -> 1.101
- Display on Device: 1.122.xx -> 1.102

When [Local Authentication/Local Accounting (Local Authentication)] or [Local Authentication/Network Accounting (Network Authentication)] is selected in administration site settings for the following models, the Card ID of the smart card can be specified in [Alternate Authentication ID] of User Information.

To check the card information of the smart card against the User ID of the device, device configuration is required. Refer to the device manual for details.

- ApeosPort C7070/C6570/C5570/C4570/C3570/C3070
- ApeosPort C2560/C2060
- ApeosPort-VII C4421/C3321
- ApeosPort-VII C7788/C6688/C5588
- ApeosPort-VII C7773/C6673/C5573/C4473/C3373/C3372/C2273
- ApeosPort-VI C7771/C6671/C5571/C4471/C3371/C3370/C2271
- ApeosPort-V C7785/C6685/C5585
- ApeosPort-V C7776/C6676/C5576/C4476/C3376/C3374/C2276
- ApeosPort-V C3320
- ApeosPort-V C7775 T2/C6675 T2/C5575 T2/C4475 T2/C3375 T2/C3373 T2/C2275 T2
- ApeosPort-V C7780 T2/C6680 T2/C5580 T2
- ApeosPort-V C7775/C6675/C5575/C4475/C3375/C3373/C2275
- ApeosPort-V C7780/C6680/C5580
- ApeosPort-IV C5575/C4475/C3375/C3373/C2275
- ApeosPort-IV C7780/C6680/C5580
- ApeosPort-IV C4430

- ApeosPort-IV C5570/C4470/C3370/C3371/C2270 (※1)
- ApeosPort-III C7600/C6500/C5500 (※2)
- DocuCentre-VII C5588/C6688/C7788
- DocuCentre-VII C7773/C6673/C5573/C4473/C3373/C3372/C2273
- DocuCentre-VI C7771/C6671/C5571/C4471/C3371/C3370/C2271
- DocuCentre-V C2265/C2263
- DocuCentre-V C7785/C6685/C5585
- DocuCentre-V C7776/C6676/C5576/C4476/C3376/C3374/C2276
- DocuCentre-V C7775 T2/C6675 T2/C5575 T2/C4475 T2/C3375 T2/C3373 T2/C2275 T2
- DocuCentre-V C7780 T2/C6680 T2/C5580 T2
- DocuCentre-V C7775/C6675/C5575/C4475/C3375/C3373/C2275
- DocuCentre-V C7780/C6680/C5580
- DocuCentre-IV C2265/C2263
- DocuCentre-IV C5575/C4475/C3375/C3373/C2275
- DocuCentre-IV C7780/C6680/C5580
- DocuCentre-IV C4430
- DocuCentre-IV C5570/C4470/C3370/C3371/C2270 (※1)
- DocuCentre-IV C2260 (※4)
- DocuCentre-III C7600/C6500/C5500 (※2)
- DocuColor 1450 GA
- Versant 80 Press
- Versant 180 Press
- Color C70/C60
- PrimeLink C9065/C9070
- ApeosPort 5570/4570
- ApeosPort 3560/3060/2560
- ApeosPort-VII 5021/4021
- ApeosPort-V 3065/3060/2060
- ApeosPort-V 7080/6080
- ApeosPort-V 5070/4070
- ApeosPort-V 4020
- ApeosPort-IV 7080/6080
- ApeosPort-IV 5070/4070/3070
- ApeosPort-IV 3065/3060/2060
- DocuCentre-V 3065/3060/2060
- DocuCentre-V 7080/6080
- DocuCentre-V 5070/4070
- DocuCentre-IV 7080/6080
- DocuCentre-IV 5070/4070
- DocuCentre-IV 3065/3060/2060
- Fuji Xerox B9136/B9125/B9110/B9100
- Fuji Xerox D136
- Fuji Xerox D95/D110/D125
- Fuji Xerox 4112/4127 (ControllerROM Ver 1.10) (※3)
- DocuPrint CP475 AP
- DocuPrint C3555 d/C2555 d
- ApeosPort Print C5570
- DocuPrint C5155 d
- DocuPrint CM415 AP
- DocuPrint CM505 da
- DocuPrint C5005 d
- DocuPrint P475 AP
- DocuPrint 4405 d/3505 d/3205 d/4408 d/3508 d/3208 d
- DocuPrint 5105 d
- DocuPrint M465 AP
- DocuPrint 3105

The versions supported by [Local Authentication/Network Accounting (Network Authentication)] are as follows.

- ※1 Controller ROM 1.101.15 and above
- ※2 Controller ROM 3.120.9 and above
- ※3 Controller ROM 1.111.6 and above
- ※4 Controller ROM 1.120.31 and above

When [Remote Authentication] is selected for administration site settings, the versions of the devices supported in ApeosWare Authentication Management are as follows.

- ApeosPort-IV C5570/C4470/C3370/C3371/C2270 (※1)
- ApeosPort-III C7600/C6500/C5500 (※2)
- ApeosPort-III C4400 (※3)
- ApeosPort-III C3300/C2200/C2201 (※4)
- Fuji Xerox 4112/4127 (Controller ROM Ver 1.10) (※5)
- DocuPrint C2255 (※6)

- ※1 Controller ROM 1.103.4 or below
- ※2 Controller ROM 3.120.9 or below
- ※3 Controller ROM 1.121.111 or below
- ※4 Controller ROM 1.120.111 or below
- ※5 Controller ROM 1.111.6 or below
- ※6 Controller ROM 1.100.26 or below