

Device Log Service Supported Models

Colour MFD

Product Name	Simple (Counter Collection)	Detailed (Job Log Collection)	Batch setting (of user information) on device	N-up accounting	Usage view on device	Device Registration via Control Panel	Printer MIB Accounting	LDAP Sync
ApeosPort C2060 ApeosPort C2560	■	■	■	■	■	■	■	■
ApeosPort C3070 ApeosPort C3570 ApeosPort C4570 ApeosPort C5570 ApeosPort C6570 ApeosPort C7070	■	■	■	■	■	■	■	■
ApeosPort-IV C2270 ^{*1} ApeosPort-IV C3370 ^{*1} ApeosPort-IV C3371 ^{*1} ApeosPort-IV C4470 ^{*1} ApeosPort-IV C5570 ^{*1}	■	N/A	N/A	N/A	■ ^{*5 *6}	N/A	N/A	N/A
ApeosPort-IV C2275 ^{*2} ApeosPort-IV C3373 ^{*2} ApeosPort-IV C3375 ^{*2} ApeosPort-IV C4475 ^{*2} ApeosPort-IV C5575 ^{*2}	■	■ ^{*3}	N/A	■ ^{*4}	■ ^{*6}	N/A	N/A	■ ^{*3}

Product Name	Simple (Counter Collection)	Detailed (Job Log Collection)	Batch setting (of user information) on device	N-up accounting	Usage view on device	Device Registration via Control Panel	Printer MIB Accounting	LDAP Sync
ApeosPort-V C2275 ApeosPort-V C3373 ApeosPort-V C3375 ApeosPort-V C4475 ApeosPort-V C5575 ApeosPort-V C6675 ApeosPort-V C7775	■	■ ^{*7}	N/A	■ ^{*4}	■	■ ^{*8}	N/A	■
ApeosPort-V C2276 ApeosPort-V C3374 ApeosPort-V C3376 ApeosPort-V C4476 ApeosPort-V C5576 ApeosPort-V C6676 ApeosPort-V C7776	■	■ ^{*9}	■	■	■	■ ^{*9}	N/A	■
ApeosPort-V C3320	■	■ ^{*10}	N/A	■ ^{*4}	■	■ ^{*11}	N/A	■
ApeosPort-V C5580 ApeosPort-V C6680 ApeosPort-V C7780	■	■ ^{*12}	N/A	■ ^{*4}	■	■ ^{*13}	N/A	■
ApeosPort-V C5585 ApeosPort-V C6685 ApeosPort-V C7785	■	■ ^{*14}	■	■	■	■ ^{*14}	N/A	■

Product Name	Simple (Counter Collection)	Detailed (Job Log Collection)	Batch setting (of user information) on device	N-up accounting	Usage view on device	Device Registration via Control Panel	Printer MIB Accounting	LDAP Sync
ApeosPort-VI C2271 ApeosPort-VI C3370 ApeosPort-VI C3371 ApeosPort-VI C4471 ApeosPort-VI C5571 ApeosPort-VI C6671 ApeosPort-VI C7771	■	■ ^{*15}	■	■	■	■ ^{*15}	■	■ ^{*15}
ApeosPort-VII C3321 ApeosPort-VII C4421	■	■	■	■	■	■	■	■
ApeosPort-VII C2273 ^{*16} ApeosPort-VII C3372 ^{*16} ApeosPort-VII C3373 ^{*16} ApeosPort-VII C4473 ^{*16} ApeosPort-VII C5573 ^{*16} ApeosPort-VII C6673 ^{*16} ApeosPort-VII C7773 ^{*16}	■	■	■	■	■	■	■	■
ApeosPort-VII C5588 ApeosPort-VII C6688 ApeosPort-VII C7788	■	■ ^{*17}	■	■	■	■	■	■
DocuCentre-IV C2263 ^{*18} DocuCentre-IV C2265 ^{*18}	■	■ ^{*3}	N/A	■ ^{*4}	■ ^{*6}	N/A	N/A	■ ^{*3}
DocuCentre-IV C2263 N	■	N/A	N/A	N/A	■	N/A	N/A	N/A

Product Name	Simple (Counter Collection)	Detailed (Job Log Collection)	Batch setting (of user information) on device	N-up accounting	Usage view on device	Device Registration via Control Panel	Printer MIB Accounting	LDAP Sync
DocuCentre-IV C2270 ^{*1} DocuCentre-IV C3370 ^{*1} DocuCentre-IV C3371 ^{*1} DocuCentre-IV C4470 ^{*1} DocuCentre-IV C5570 ^{*1}	■	N/A	N/A	N/A	N/A	N/A	N/A	N/A
DocuCentre-IV C2275 ^{*2} DocuCentre-IV C3373 ^{*2} DocuCentre-IV C3375 ^{*2} DocuCentre-IV C4475 ^{*2} DocuCentre-IV C5575 ^{*2}	■	■ ^{*3}	N/A	■ ^{*4}	■ ^{*6}	N/A	N/A	■ ^{*3}
DocuCentre-V C2263 DocuCentre-V C2265	■	■ ^{*19}	■	■ ^{*4}	■	■ ^{*19}	N/A	■ ^{*19}
DocuCentre-V C2275 DocuCentre-V C3373 DocuCentre-V C3375 DocuCentre-V C4475 DocuCentre-V C5575 DocuCentre-V C6675 DocuCentre-V C7775	■	■ ^{*7}	N/A	■ ^{*4}	■	■ ^{*8}	N/A	■

Product Name	Simple (Counter Collection)	Detailed (Job Log Collection)	Batch setting (of user information) on device	N-up accounting	Usage view on device	Device Registration via Control Panel	Printer MIB Accounting	LDAP Sync
DocuCentre-V C2276 DocuCentre-V C3374 DocuCentre-V C3376 DocuCentre-V C4476 DocuCentre-V C5576 DocuCentre-V C6676 DocuCentre-V C7776	■	■ ^{*9}	■	■	■	■ ^{*9}	N/A	■
DocuCentre-V C5580 DocuCentre-V C6680 DocuCentre-V C7780	■	■ ^{*12}	N/A	■ ^{*4}	■	■ ^{*13}	N/A	■
DocuCentre-V C5585 DocuCentre-V C6685 DocuCentre-V C7785	■	■ ^{*14}	■	■	■	■ ^{*14}	N/A	■
DocuCentre-VI C2271 DocuCentre-VI C3370 DocuCentre-VI C3371 DocuCentre-VI C4471 DocuCentre-VI C5571 DocuCentre-VI C6671 DocuCentre-VI C7771	■	■ ^{*15}	■	■	■	■ ^{*15}	■	■ ^{*15}

Product Name	Simple (Counter Collection)	Detailed (Job Log Collection)	Batch setting (of user information) on device	N-up accounting	Usage view on device	Device Registration via Control Panel	Printer MIB Accounting	LDAP Sync
DocuCentre-VII C2273 ^{*16}								
DocuCentre-VII C3372 ^{*16}								
DocuCentre-VII C3373 ^{*16}								
DocuCentre-VII C4473 ^{*16}	■	■	■	■	■	■	■	■
DocuCentre-VII C5573 ^{*16}								
DocuCentre-VII C6673 ^{*16}								
DocuCentre-VII C7773 ^{*16}								
DocuCentre-VII C5588								
DocuCentre-VII C6688	■	■ ^{*17}	■	■	■	■	■	■
DocuCentre-VII C7788								

Note: Products for sale may differ according to country or region. For more information, please contact the Fuji Xerox office or authorized dealers in each country/region.

Note: Simple (Counter Collection) is available only when [Local Authentication] is selected in [Authentication Settings].

Note: The conditions above are satisfied when the device is equipped with a network port (Printer Kit) and is capable of TCP/IP communication.

Note: Subscription to EP-BB MFD management service is required to start the Device Log Service.

Note: Our customer engineer will make the necessary settings for EP-BB on the device unit based on customer demand.

Note: Supported models and product specifications are subject to change due to improvements without prior notice.

Note: Multifunction Device Linkage Tool is required to view usage on devices.

*1: Models with 2 GB memory and Controller ROM require ver. 1.104.17 or higher.

*2: Controller ROM should be ver. 1.0.2 or higher.

*3: Extensible Customization Kit is required. Other options may be required for installation depending on the model.

*4: N-up accounting is available for Detailed Notification (Job Log Collection) but not for Simple Notification (Counter Collection).

*5: External Access Kit is required. Not available in the network environment where proxy authentication is performed via a proxy server.

*6: Multifunction Device Control Panel is displayed in full screen size only.

*7: Controller ROM should be ver. 1.5.4 or higher for early models and ver. 2.3.3 or higher for late (T2) models.

*8: Controller ROM should be ver. 1.3.28 or higher for early models and ver. 2.1.17 or higher for late (T2) models.

- *9: Controller ROM should be ver. 1.3.4 or higher.
- *10: Controller ROM should be ver. 1.4.3 or higher.
- *11: Controller ROM should be ver. 1.2.7 or higher.
- *12: Controller ROM should be ver. 1.5.4 or higher for early models and ver. 2.1.16 or higher for late (T2) models.
- *13: Controller ROM should be ver. 1.3.27 or higher for early models and ver. 2.1.16 or higher for late models.
- *14: Controller ROM should be ver. 1.4.4 or higher.
- *15: Controller ROM should be ver. 1.2.10 or higher.
- *16: Controller ROM should be ver. 1.3.4 or higher.
- *17: Controller ROM should be ver. 1.3.5 or higher.
- *18: Controller ROM should be ver. 1.131.2 or higher.
- *19: Controller ROM should be ver. 1.2.10 or higher.

Mono MFD

Product Name	Simple (Counter Collection)	Detailed (Job Log Collection)	Batch setting (of user information) on device	N-up accounting	Usage view on device	Device Registration via Control Panel	Printer MIB Accounting	LDAP Sync
ApeosPort 2560 ApeosPort 3060 ApeosPort 3560	■	■	■	■	■	■	■	■
ApeosPort 4570 ApeosPort 5570	■	■	■	■	■	■	■	■
ApeosPort-IV 6080 ^{*1} ApeosPort-IV 7080 ^{*1}	■	■ ^{*2}	N/A	■ ^{*3}	■ ^{*4}	N/A	N/A	■ ^{*2}
ApeosPort-V 2060 ApeosPort-V 3060 ApeosPort-V 3065	■	■	■	■	■	N/A	N/A	■
ApeosPort-V 4020	■	■ ^{*5}	N/A	■ ^{*3}	■	■ ^{*6}	N/A	■

Product Name	Simple (Counter Collection)	Detailed (Job Log Collection)	Batch setting (of user information) on device	N-up accounting	Usage view on device	Device Registration via Control Panel	Printer MIB Accounting	LDAP Sync
ApeosPort-V 4070 ApeosPort-V 5070	■	■	■	■	■	■ ^{*7}	N/A	■
ApeosPort-V 6080 ApeosPort-V 7080	■	■	■	■	■	■ ^{*7}	N/A	■
ApeosPort-VII 4021 ApeosPort-VII 5021	■	■	■	■	■	■	■	■
DocuCentre-IV 6080 ^{*1} DocuCentre-IV 7080 ^{*1}	■	■ ^{*2}	N/A	■ ^{*3}	■ ^{*4}	N/A	N/A	■ ^{*2}
DocuCentre-V 2060 DocuCentre-V 3060 DocuCentre-V 3065	■	■ ^{*8}	■	■	■	^{*8}	N/A	■ ^{*8}
DocuCentre-V 4070 DocuCentre-V 5070	■	■	■	■	■	■ ^{*7}	N/A	■
DocuCentre-V 6080 DocuCentre-V 7080	■	■	■	■	■	■ ^{*7}	N/A	■

Note: Products for sale may differ according to country or region. For more information, please contact the Fuji Xerox office or authorized dealers in each country/region.

Note: Simple (Counter Collection) is available only when [Local Authentication] is selected in [Authentication Settings].

Note: The conditions above are satisfied when the device is equipped with a network port (Printer Kit) and is capable of TCP/IP communication.

Note: Subscription to EP-BB MFD management service is required to start the Device Log Service.

Note: Our customer engineer will make the necessary settings for EP-BB on the device unit based on customer demand.

Note: Supported models and product specifications are subject to change due to improvements without prior notice.

Note: Multifunction Device Linkage Tool is required to view usage on devices.

*1: Extensible Customization Kit is required. Other options may be required for installation depending on the model.

*2: Detailed (Job Log Collection) is available only on CPS models.

*3: N-up accounting is available for Detailed Notification (Job Log Collection) but not for Simple Notification (Counter Collection).

*4: Multifunction Device Control Panel is displayed in full screen size only.

*5: Controller ROM should be ver. 1.4.3 or higher.

*6: Controller ROM should be ver. 1.2.7 or higher.

*7: Controller ROM should be ver. 1.0.13 or higher.

*8: Controller ROM should be ver. 1.2.10 or higher.

Mono printer

Product Name	Simple (Counter Collection)	Detailed (Job Log Collection)	Batch setting (of user information) on device	N-up accounting	Usage view on device	Device Registration via Control Panel	Printer MIB Accounting	LDAP Sync
DocuPrint 3205 d DocuPrint 3505 d DocuPrint 4405 d	■	■ ^{*2}	■	■	N/A	N/A	■	■
DocuPrint 5100 d ^{*1}	■	■	■	■	N/A	N/A	N/A	■

Note: Products for sale may differ according to country or region. For more information, please contact the Fuji Xerox office or authorized dealers in each country/region.

Note: Simple (Counter Collection) is available only when [Local Authentication] is selected in [Authentication Settings].

Note: The conditions above are satisfied when the device is equipped with a network port (Printer Kit) and is capable of TCP/IP communication.

Note: Subscription to EP-BB MFD management service is required to start the Device Log Service. Service contract is required to use the EP-BB service.

Note: Our customer engineer will make the necessary settings for EP-BB on the device unit based on customer demand.

Note: Supported models and product specifications are subject to change due to improvements without prior notice.

Note: Multifunction Device Linkage Tool is required to view usage on devices.

*1: Needs to be equipped with HDD Extension Kit.

*2: Controller ROM should be ver. 1.0.17 or higher.

Production Colour

Product Name	Simple (Counter Collection)	Detailed (Job Log Collection)	Batch setting (of user information) on device	N-up accounting	Usage view on device	Device Registration via Control Panel	Printer MIB Accounting	LDAP Sync
PrimeLink C9065 Printer ^{*1} PrimeLink C9070 Printer ^{*1}	■	■	■	■	■	■	■	■

Note: Products for sale may differ according to country or region. For more information, please contact the Fuji Xerox office or authorized dealers in each country/region.

Note: Simple (Counter Collection) is available only when [Local Authentication] is selected in [Authentication Settings].

Note: The conditions above are satisfied when the device is equipped with a network port (Printer Kit) and is capable of TCP/IP communication.

Note: Subscription to EP-BB MFD management service is required to start the Device Log Service.

Note: Our customer engineer will make the necessary settings for EP-BB on the device unit based on customer demand.

Note: Supported models and product specifications are subject to change due to improvements without prior notice.

Note: Multifunction Device Linkage Tool is required to view usage on devices.

*1: Network connection is required for both multifunction device and print server.